


Mini Slide Switch MSS Series


MSS-1235



SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 1P2T
- Timing: Non-Shorting
- Travel: 2mm
- Operating Force: 200 • 100gf


MSS-1245



SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 1P2T
- Timing: Non-Shorting
- Travel: 2mm
- Operating Force: 200 • 100gf

MSS-1250 SERIES





SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 1P2T
- Timing: Non-Shorting
- Travel: 2mm
- Operating Force: 200 • 100gf

Model No.	Knob"L"
MSS-1250	2.0mm
MSS-1250A	3.0mm
MSS-1250B	4.4mm

MSS-1260 SERIES




SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 1P2T
- Timing: Non-Shorting
- Travel: 2mm
- Operating Force: 200 • 100gf

Model No.	Knob"L"
MSS-1260	2.0mm
MSS-1260A	3.0mm
MSS-1260B	4.4mm

MSS-1270 SERIES




SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 1P2T
- Timing: Non-Shorting
- Travel: 2mm
- Operating Force: 150 • 100gf

Model No.	Description
MSS-1270	lock & embossing cover
MSS-1270N	lock
MSS-1270R	non lock & embossing cover
MSS-1270RN	non lock

MSS-1270H SERIES





SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 1P2T
- Timing: Non-Shorting
- Travel: 2mm
- Operating Force: 150 • 100gf

Model No.	Description
MSS-1270H	lock & embossing cover
MSS-1270HN	lock
MSS-1270HR	non lock & embossing cover
MSS-1270HRN	non lock

Mini Slide Switch MSS Series



MSS-1280



SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 1P2T
- Timing: Non-Shorting
- Travel: 2mm
- Operating Force: 150 100gf

MSS-1290AN.MSS-1290BN




SPECIFICATION

- Rating: DC4V 0.3A
- Circuit: 1P2T
- Timing: Non-Shorting
- Travel: 1.5mm
- Operating Force: 150 100gf

Model No.	Knob "T"
MSS-1290AN	0.4mm
MSS-1290BN	1.1mm

MSS-1290AP.MSS-1290BP




SPECIFICATION

- Rating: DC4V 0.3A
- Circuit: 1P2T
- Timing: Non-Shorting
- Travel: 1.5mm
- Operating Force: 150 100gf

Model No.	Knob "T"
MSS-1290AP	0.4mm
MSS-1290BP	1.1mm

MSS-1300 SERIES




SPECIFICATION

- Rating: DC4V 0.3A
- Circuit: 1P3T
- Timing: Non-Shorting
- Travel: 1.5mm + 1.5mm
- Operating Force:

Model No.	Knob "T"	cover "G"
MSS-1300AN	0.4mm	NO
MSS-1300BN	1.1mm	NO
MSS-1300AP	0.4mm	YES
MSS-1300BP	1.1mm	YES

A B, C B = 150, 100gf
B A, B C = 200, 150gf

MSS-1336





SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 1P3T
- Timing: Non-Shorting
- Travel: 2mm + 2mm
- Operating Force:

A B, C B = 250 100gf
B A, B C = 300 150gf

MSS-1346




SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 1P3T
- Timing: Non-Shorting
- Travel: 2mm + 2mm
- Operating Force:

A B, C B = 250 100gf
B A, B C = 300 150gf

Mini Slide Switch MSS Series


MSS-2235



SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 2P2T
- Timing: Non-Shorting
- Travel: 2mm
- Operating Force: 200 100gf


MSS-2235S



SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 2P2T
- Timing: Non-Shorting
- Travel: 2mm
- Operating Force: 200 100gf


MSS-2245



SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 2P2T
- Timing: Non-Shorting
- Travel: 2mm
- Operating Force: 200 100gf


MSS-2245S



SPECIFICATION

- Rating: DC6V 0.3A
- Circuit: 2P2T
- Timing: Non-Shorting
- Travel: 2mm
- Operating Force: 200 100gf



MSS-2336



SPECIFICATION

- Rating: DC6V 0.3A
 - Circuit: 2P3T
 - Timing: Non-Shorting
 - Travel: 2mm
 - Operating Force: 200 100gf
- A B, C B = 200 100gf
B A, B C = 300 150gf

MSS-2346



SPECIFICATION

- Rating: DC6V 0.3A
 - Circuit: 2P3T
 - Timing: Non-Shorting
 - Travel: 2mm + 2mm
 - Operating Force: 200 100gf
- A B, C B = 250 100gf
B A, B C = 300 150gf